

SIGNING AND PAVEMENT MARKING NOTES


1. ALL PROPOSED AND APPROVED PAVEMENT MARKINGS SHALL BE WITH CERTIFIED, LEAD-FREE, THERMOPLASTIC MATERIALS ONLY.
2. REMOVAL OF EXISTING STRIPING SHALL BE ACCOMPLISHED THROUGH MILLING AS SHOWN ON THE PLANS.
3. ALL PAVEMENT MARKINGS PER FDOT INDEX NO. 771-001.
4. "STOP" SIGNS ARE FDOT SERIES ID NO R1-1, INDEX 120-600.
5. ALL SIGNS MUST CONFORM TO FDOT INDEX 11860 STANDARDS.
6. ALL ABOVE GROUND SIGNS PER FDOT INDEX NO. 700-010 HAVE A 2 INCH ROUND ALUMINUM POST WITH 2-BAR BRACKETS. CONSTRUCTED TO A 7' HEIGHT AS MEASURED FROM THE ROADWAY EDGE OF PAVEMENT WHITE LINE, GRADE ELEVATION TO THE BOTTOM OF THE NEW SIGN. ALL SIGNS SHALL CONFORM TO FDOT STANDARDS.
7. ALL FINAL PAVEMENT MARKINGS ARE REQUIRED TO BE THERMOPLASTIC AND TO INCLUDE REFLECTIVE PAVEMENT MARKERS (RPM'S).
8. ALL SIDEWALKS SHALL BE CONSTRUCTED IN ACCORDANCE WITH FDOT INDEX 522-001, LATEST EDITION.
9. APPLY YELLOW REFLECTIVE PAINT TO THE NOSES OF CURBED MEDIANS, TRAFFIC SEPARATORS, AND RAISED ISLANDS. WHEN APPLYING YELLOW REFLECTIVE PAINT IN CONJUNCTION WITH RAISED PAVEMENT MARKERS, SEE FDOT INDEX 706-001.

LEGEND

- PROPOSED ASPHALT PAVEMENT
- PROPOSED GRASS
- PROPOSED CONCRETE
- SOD TO REPAIR



engineers • surveyors • planners
 EB 2389
 729 S.W. 2nd Ave., Suite 300
 GAINESVILLE, FLORIDA 32601-6602
 TEL: (352) 373-3541 FAX: (352) 373-6271
 www.edafl.com mail@edafl.com



NORTH

SCALE: 1" = 20'



GRAPHIC SCALE

No.	Date	Comment

Professional Engineer of Record:

Sergio J. Reyes, P.E. 47311
 Engineer Certificate No.

Project No: 16-217

Project phase: CONSTRUCTION PLANS

Project title:

OAKS PRESERVE - PHASE I
 CITY OF GAINESVILLE,
 FLORIDA

Sheet title:
 FDOT - DIMENSION AND
 SIGNAGE & STRIPING
 PLAN

Designed: SJR Sheet No.:

Drawn: SLR

Checked: CSV

Date: 08/13/20

F101